

# Aqueous Film-Forming Foam (AFFF) Products Liability Litigation (MDL 2873)

## Phase Two Action Fund Claims Form

**CLAIM SUBMISSION DEADLINE: 07/31/2026**

### INSTRUCTIONS

Please follow the instructions below to submit a claim for the AFFF Products Liability Litigation Settlement Program. A completed copy of this Claims Form must be submitted no later than the Claims Form Deadline. Late Claims Forms will not be considered.

TO RECEIVE BENEFITS FROM THIS SETTLEMENT, YOU MUST PROVIDE ALL OF THE REQUIRED (\*) INFORMATION BELOW AND YOU MUST SIGN THIS CLAIMS FORM. THIS CLAIMS FORM SHOULD ONLY BE USED IF A CLAIM IS BEING MAILED IN AND IS NOT BEING FILED ONLINE. YOU MAY ALSO FILE YOUR CLAIM ONLINE AT [www.PFASWaterSettlement.com](http://www.PFASWaterSettlement.com).

For the Claims Form to be valid, Claimants must provide ALL information requested concerning the Public Water System (PWS) and its groundwater wells and/or surface water systems ("Water Source").

**Baseline Testing:** Each Phase Two Qualifying Class Member must test each of its Water Sources for PFAS, request from the laboratory that performs the analyses all analytical results, including the numeric values, and submit detailed PFAS test results to the Claims Administrator on Claims Form within forty-five (45) calendar days after receiving the test results, absent what the Claims Administrator deems in writing to be an extraordinary circumstance, and no later than July 1, 2026. Test results may be submitted from untreated (raw) or treated (finished) water samples. However, all samples must be drawn from a Water Source that has been used to provide Drinking Water.

A PWS that does not timely return a completed Claims Form forfeits any right to participate in this settlement. For any questions about this Claims Form, you may contact a Claim Representative at 1-855-714-4341 or [info@pfaswatersettlement.com](mailto:info@pfaswatersettlement.com). Claims Forms submitted by mail should be sent to the Claims Administrator at the following address:

AFFF Public Water System Claims  
PO Box 4466  
Baton Rouge, LA 70821

### SECTION 1. PUBLIC WATER SYSTEM (PWS) INFORMATION

#### SECTION 1.1 PWS GENERAL INFORMATION

Public Water System (PWS) Name			
PWS Identification Number (PWSID)		Employer Identification Number	_ _ _ - _ _ _ _ _
PWS Facility Address	Street		
	City	State	Zip

#### SECTION 1.2 PWS CONTACT INFORMATION

*\*Please note that communication for this Settlement may extend into the year 2030. Please provide contact information with this in mind and contact the Claims Administrator if any updates are required.*

Name of PWS Primary Contact		Job Title of PWS Primary Contact	
Telephone Number for Primary Contact	( _ _ _ ) _ _ _ - _ _ _ _	Fax Number	( _ _ _ ) _ _ _ - _ _ _ _
Email Address for Primary Contact		PWS "General" Email (if available)	
Name of PWS Secondary Contact		Job Title of PWS Secondary Contact	
Telephone Number for Secondary Contact	( _ _ _ ) _ _ _ - _ _ _ _	Email Address for Secondary Contact	
PWS Mailing Address <small>*Payments will be sent to this address</small>	Street/PO Box		
	City	State	Zip

# Aqueous Film-Forming Foam (AFFF) Products Liability Litigation (MDL 2873)

## Phase Two Action Fund Claims Form

SECTION 1.3 LAWSUIT INFORMATION (CHECK YES OR NO)		YES	NO
Has PWS filed a lawsuit to recover damages associated with PFAS contamination of its public drinking water wells or surface water systems?			
If yes, is the lawsuit currently pending/filed in the AFFF MDL?			
If the lawsuit is NOT currently in the AFFF MDL, in which court is it pending?			
Case Number			
Date Filed			
SECTION 1.4 ATTORNEY INFORMATION (IF APPLICABLE)		YES	NO
Is the PWS Represented by an Attorney? (Check Yes or No)			
Attorney Name		Law Firm Name	
Telephone Number	( ___ ) ___ - _____	Email Address	
Law Firm Employer Identification Number			
SECTION 2. QUALIFYING PWS INFORMATION			
QUALIFYING QUESTIONS (CHECK YES OR NO)		YES	NO
Is the PWS required to test under UCMR-5?			
Is the PWS required to test for PFAS by state law?			
Does the PWS serve at least 15 service connections used by year-round residents?			
Does the PWS serve at least 25 year-round residents?			
Does the PWS serve 3,300 people or fewer according to SDWIS as of June 22, 2023?			
Is the PWS in the United States of America or one of its territories?			
Is the PWS owned or operated by a state (or territory of the United States) or the federal government?			
PWS CODES WITHIN THE SAFE DRINKING WATER INFORMATION SYSTEM (SDWIS)			
<b>What is the PWS Owner Type Code as listed in SDWIS?</b> <i>*Please enter one of the following: "L-Local Government" or "M-Public/Private" or "P-Private" or "N-Native American" or "S-State Government" or "F-Federal Government"</i>			
<b>If the PWS has an Owner Type Code of "P-Private", what is the operation type of the PWS?</b> <i>*Please enter one of the following: "Private For-Profit Utility", "Nonprofit Utility", or "Ancillary Utility"</i>			
<b>If the PWS Owner Type Code is listed in SDWIS as either "S-State Government" or "F-Federal Government," does the PWS have the authority to sue or be sued in its own name?</b> <i>*Please enter one of the following: "Yes" or "No"</i>			
<b>What is the PWS Facility Activity Code as listed in SDWIS?</b> <i>*Please enter one of the following: "Active", "Inactive", "Change from public to non-public", "Merged with another system" or "Potential future system to be regulated"</i>			
<b>What is the PWS classification as listed in SDWIS?</b> <i>*Please enter one of the following: "Community Water System" or "Non-Transient Non-Community Water System" or "Transient Non-Community Water System"</i>			
<i>Note: If (1) your type code is "Transient Non-Community Water System" OR (2) your type code is "Non-Transient Non-Community Water System" AND the PWS serves 3,300 people or fewer, skip to Section 6.</i>			

*Aqueous Film-Forming Foam (AFFF) Products Liability Litigation (MDL 2873)*  
Phase Two Action Fund Claims Form

**SECTION 3. WATER SOURCE SUMMARY INFORMATION**

**GROUNDWATER WELL SUMMARY**

**QUANTITY**

How many groundwater wells are owned or operated by the PWS?

How many of these groundwater wells have been analyzed using a state or federal agency-approved analytical method and showed a Measurable Concentration of PFAS prior to June 22, 2023?

How many of these groundwater wells have been analyzed using a state or federal agency-approved analytical method and DID NOT show a Measurable Concentration of PFAS since January 1, 2019?

**SURFACE WATER SYSTEM SUMMARY**

**QUANTITY**

How many surface water systems are owned or operated by the PWS?

How many of these surface water systems have been analyzed using a state or federal agency approved analytical method and showed a Measurable Concentration of PFAS prior to June 22, 2023?

How many of these surface water systems have been analyzed using a state or federal agency approved analytical method and DID NOT show a Measurable Concentration of PFAS since January 1, 2019?

**SECTION 4. WATER SOURCE INFORMATION**

**Please complete and submit information from Section 4 for EACH Water Source. See "Addendum X" to provide information for each additional Water Source.**

*Note: Groundwater wells should report flow rates from the groundwater well. Surface water systems should report the flow rate of the water that enters the treatment plant.*

**Name or description of the Water Source.**

*Note: This is the name or unique identifier listed on the testing laboratory chain of custody document.*

**Is this a groundwater well or surface water system?**

*\*Please enter "Groundwater well" or "Surface water system."*

*Note: Please enter "Surface water system" if a treatment plant is blending groundwater and surface water before treatment. Both systems are considered a surface water system.*

Estimated date of first PFAS exposure to your water system (be as specific as possible).

What is the basis for the estimate above?

**WATER SOURCE QUESTIONS (CHECK YES OR NO)**

**YES**

**NO**

Does the PWS own this Water Source?

Does the PWS operate this Water Source?

Is this Water Source a purchased water connection?

**Is this Water Source part of an interrelated Drinking Water system (IDWS)?**

If Yes, please complete the IDWS Addendum for this source.

*Note: Detailed IDWS guidance is provided in the "The Parties' Joint Interpretive Guidance on Interrelated Drinking-Water Systems" located at [www.PFASWaterSettlement.com](http://www.PFASWaterSettlement.com).*

Has the water from this Water Source ever been used as Drinking Water?

Was this Water Source tested or otherwise analyzed for PFAS and found to contain any Measurable Concentration of PFAS on or before the June 22, 2023?

# Aqueous Film-Forming Foam (AFFF) Products Liability Litigation (MDL 2873)

## Phase Two Action Fund Claims Form

### FLOW RATE CAPACITY

Please answer the below questions indicating the maximum flow rate capacity for the Water Source. *Please enter the measurement in total gallons per year (GPY), gallons per minute (GPM), or million gallons per day (MGD).*

FLOW RATE QUESTIONS	GPY	GPM	MGD
If this Water Source is a groundwater well, please enter the maximum flow rate capacity of the groundwater pump.			
If this Water Source is a surface water system, please enter the maximum flow rate capacity of the water that enters the treatment plant.			
How was the maximum flow rate capacity determined?			

For the following years, please enter the ACTUAL ANNUAL flow rate for the Impacted Water Source. If the flow rate was reduced or the source was taken offline due to PFAS contamination, please indicate by checking the box corresponding to that year.

*Note: Please enter the measurement in total gallons per year (GPY) OR gallons per minute (GPM) OR million gallons per day (MGD). If the source was not active in a particular year, please enter "0" (zero) for the Actual Annual Flow Rate. Flow rates should be based on a 12 month period regardless of how many months the source was in operation during the year.*

YEAR	GPY	GPM	MGD	Was the Annual Flow Rate reduced due to PFAS Contamination?
<i>Flow Rate Calculations</i>	<i>= GPM * 1,440 Minutes Per Day * 365 Days Per Year</i>	<i>= GPY ÷ 1,440 ÷ 365</i>	<i>= (GPM * 1,440) ÷ 1,000,000</i>	<i>(Yes or No)</i>
<b>Example: 2013</b>	<b>785,246,400</b>	<b>1,494</b>	<b>2.15</b>	<b>No</b>
2013				
2014				
2015				
2016				
2017				
2018				
2019				
2020				
2021				
2022				

### ADDITIONAL FLOW RATE INFORMATION (IF NECESSARY)

Each PWS is required to provide data for at least 3 years for which the actual annual flow rate (AAFR) was not reduced due to PFAS contamination, if available. If the PWS did not provide data for at least 3 years in which the AAFR was not reduced due to PFAS contamination (in the table above), please use the space below to provide additional information as needed. For example, if the AAFR for 9 of the previous 10 years has been reduced due to PFAS contamination, the PWS should provide 2 years of data below for the most recent unimpacted years.

YEAR	GPY	GPM	MGD
<i>Flow Rate Calculations</i>	<i>= GPM * 1,440 Minutes Per Day * 365 Days Per Year</i>	<i>= GPY ÷ 1,440 ÷ 365</i>	<i>= (GPM * 1,440) ÷ 1,000,000</i>
<b>Example: 2012</b>	<b>785,246,400</b>	<b>1,494</b>	<b>2.15</b>

*Aqueous Film-Forming Foam (AFFF) Products Liability Litigation (MDL 2873)*  
Phase Two Action Fund Claims Form

**SECTION 5. PFAS TESTING RESULTS**

**PFOA CONTAMINATION TESTING**

Please enter the below information to indicate **PFOA** Qualifying Testing Results.

**See Addendum X to provide information for each additional Water Source.**

Highest historical PFOA concentration in lab-issued documentation:							
Date of Sampling:							
Company of the person who took the sample:							
Date of analysis:							
Highest historical PFOA concentration converted to parts per trillion (PPT):				_____ PPT			
Name of laboratory that performed the analysis:							
Facility address of laboratory that performed the analysis:		Street/PO Box					
		City		State		Zip	
What state or federal agency approved analytical method was used to measure the PFAS concentrations of the Impacted Water Source (e.g., EPA Method 537.1, EPA Method 537M)?							

**PFOS CONTAMINATION TESTING**

Please enter the below information to indicate **PFOS** Qualifying Testing Results.

**See Addendum X to provide information for each additional Water Source.**

Highest historical PFOS concentration in lab-issued documentation:							
Date of Sampling:							
Company of the person who took the sample:							
Date of analysis:							
Highest historical PFOS concentration converted to parts per trillion (PPT):				_____ PPT			
Name of laboratory that performed the analysis:							
Facility address of laboratory that performed the analysis:		Street/PO Box					
		City		State		Zip	
What state or federal agency approved analytical method was used to measure the PFAS concentrations of the Impacted Water Source (e.g., EPA Method 537.1, EPA Method 537M)?							

# Aqueous Film-Forming Foam (AFFF) Products Liability Litigation (MDL 2873)

## Phase Two Action Fund Claims Form

### OTHER PFAS CONTAMINATION TESTING

Please enter the below information to indicate **other PFAS analyte** Qualifying Test Results.

**See Addendum X to provide information for each additional Water Source.**

Highest historical concentration of <b>one</b> other PFAS analyte in lab-issued documentation:			
Date of Sampling:			
Company of the person who took the sample:			
Date of analysis:			
Highest historical concentration of one other PFAS analyte concentration converted to parts per trillion (PPT):	_____ PPT		
Name of laboratory that performed the analysis:			
Facility address of laboratory that performed the analysis:	Street/PO Box		
	City	State	Zip
What state or federal agency approved analytical method was used to measure the PFAS concentrations of the Impacted Water Source (e.g., EPA Method 537.1, EPA Method 537M)?			

### SECTION 6. CERTIFICATION AND SIGNATURE

By signing this Claims Form, Authorized Representative represents and warrants the following on behalf of the Settlement Class Member:

- The Authorized Representative has authority to submit a claim and to release all Released Claims on behalf of the Settlement Class Member and all other Persons who are Releasing Persons by virtue of their relationship or association with the Settlement Class Member.
- The Settlement Class Member has tested each of its Water Sources for PFAS.
- The Settlement Class Member authorizes the Claims Administrator and/or Special Master to provide all Claims Form information, including PFAS test result details, to the relevant Parties as required by the terms of the Settlement Agreement.
- The Settlement Class Member has consulted with any other entity that has incurred costs in connection with efforts to removed PFAS from, or prevent PFAS from entering, Settlement Class Member's Public Water System, and that Settlement Class Member's claim is on behalf of any such other entity.

I declare under penalty of perjury subject to 28 U.S.C. § 1746 that all of the information provided within this Claims Form and its attachments are true and correct to the best of my knowledge, information, and belief.

Authorized Representative's Signature:	
Authorized Representative's Printed Name:	

Executed this \_\_\_\_\_ day of \_\_\_\_\_ at \_\_\_\_\_ (County), \_\_\_\_\_ (State).

### DOCUMENTATION REQUIREMENTS

Please submit **ALL** documentation reflecting the information provided above including the following:

1. Lab-issued documentation demonstrating historical maximum detections of PFOA, PFOS, and other PFAS analyte (including chain of custody document)
2. Documentation to support both annual average and maximum flow rate of the water entering the surface water system.
3. Filed and dated copy of the lawsuit filed by the PWS to recover damages associated with PFAS contamination of its groundwater wells or surface water systems
4. A completed IRS Form W-9 for the PWS